



Figur 6




Figur 6F




Figur 6W


Z	Belt w.	Mat.	Fig.	Part No.	Dp	De	Df	Dm	F	L	d	Max bore	Weight
10	37	ST	6F	010XL037N	16,17	15,66	23	9,5	14,3	19,8	5	6,4	0,02
	37	AL	6F	010XL037A	16,17	15,66	23	9,5	14,3	19,8	5	6,4	0,02
11	37	ST	6F	011XL037N	17,79	17,28	23	9,5	14,3	19,8	5	6,4	0,02
	37	AL	6F	011XL037A	17,79	17,28	23	9,5	14,3	19,8	5	6,4	0,02
12	37	ST	6F	012XL037N	19,40	18,90	25	12,7	14,3	19,8	5	7,9	0,03
	37	AL	6F	012XL037A	19,40	18,90	25	12,7	14,3	19,8	5	7,9	0,03
14	37	ST	6F	014XL037N	22,64	22,13	28	14,3	14,3	19,8	6	9,5	0,04
	37	AL	6F	014XL037A	22,64	22,13	28	14,3	14,3	19,8	6	9,5	0,04
15	37	ST	6F	015XL037N	24,26	23,75	28	15,9	14,3	19,8	6	11,1	0,04
	37	AL	6F	015XL037A	24,26	23,75	28	15,9	14,3	19,8	6	11,1	0,04
16	37	ST	6F	016XL037N	25,87	25,36	32	17,5	14,3	19,8	6	12,7	0,05
	37	AL	6F	016XL037A	25,87	25,36	32	17,5	14,3	19,8	6	12,7	0,05
18	37	ST	6F	018XL037N	29,11	28,60	36	19,0	14,3	19,8	6	14,3	0,06
	37	AL	6F	018XL037A	29,11	28,60	36	19,0	14,3	19,8	6	14,3	0,06
19	37	ST	6F	019XL037N	30,72	30,21	36	20,0	14,3	19,8	6	14,5	0,08
20	37	ST	6F	020XL037N	32,34	31,83	38	23,8	14,3	22,2	6	17,5	0,08
	37	AL	6F	020XL037A	32,34	31,83	38	23,8	14,3	22,2	6	17,5	0,08
21	37	ST	6F	021XL037N	33,96	33,45	38	23,8	14,3	22,2	6	17,5	0,09
	37	AL	6F	021XL037A	33,96	33,45	38	23,8	14,3	22,2	6	17,5	0,09
22	37	ST	6F	022XL037N	35,57	35,07	42	25,4	14,3	22,2	6	19,1	0,10
	37	AL	6F	022XL037A	35,57	35,07	42	25,4	14,3	22,2	6	19,1	0,10
24	37	ST	6F	024XL037N	38,81	38,30	44	27,0	14,3	22,2	6	20,6	0,12
	37	AL	6F	024XL037A	38,81	38,30	44	27,0	14,3	22,2	6	20,6	0,12
26	37	ST	6F	026XL037N	42,04	41,53	48	30,0	14,3	22,2	6	23,0	0,14
	37	AL	6F	026XL037A	42,04	41,53	48	30,0	14,3	22,2	6	23,0	0,14
28	37	ST	6F	028XL037N	45,28	44,77	51	30,2	14,3	22,2	6	23,0	0,16
	37	AL	6F	028XL037A	45,28	44,77	51	30,2	14,3	22,2	6	23,0	0,16
30	37	ST	6F	030XL037N	48,51	48,00	54	34,9	14,3	22,2	6	23,0	0,19
	37	AL	6F	030XL037A	48,51	48,00	54	34,9	14,3	22,2	6	23,0	0,19
32	37	AL	6	032XL037N	51,74	51,24	-	38,0	14,3	25,4	8	23,0	0,11
36	37	AL	6	036XL037N	58,21	57,70	-	38,0	14,3	25,4	8	23,0	0,13
40	37	AL	6	040XL037N	64,68	64,17	-	38,0	14,3	25,4	8	23,0	0,17
42	37	AL	6W	042XL037N	67,91	67,41	-	38,0	14,3	25,4	8	23,0	0,13
44	37	AL	6W	044XL037N	71,15	70,64	-	38,0	14,3	25,4	8	23,0	0,15
48	37	AL	6W	048XL037N	77,62	77,11	-	38,0	14,3	25,4	8	23,0	0,16
60	37	AL	6W	060XL037N	97,02	96,51	-	38,0	14,3	25,4	8	23,0	0,18
72	37	AL	6W	072XL037N	116,43	115,92	-	38,0	14,3	25,4	8	23,0	0,23



Figur 3F




Figur 5F




Figur 8F


Z	Belt w.	Mat.	Fig.	Part No.	Bush	Dp	De	Df	Dm	Di	F	S	R	Weight
18	50	ST	8F	018L050T	1108	54,57	53,81	60	44	-	19	22	3,0	0,2
	75	ST	3F	018L075T	1108	54,57	53,81	60	-	-	25	25	-	0,2
	100	ST	5F	018L100T	1108	54,57	53,81	60	-	38	31	22	9,0	0,2
19	50	ST	8F	019L050T	1108	57,61	56,84	60	44	-	19	22	3,0	0,2
	75	ST	3F	019L075T	1108	57,61	56,84	60	-	-	25	25	-	0,3
	100	ST	5F	019L100T	1108	57,61	56,84	60	-	38	31	22	9,0	0,3
20	50	ST	8F	020L050T	1108	60,64	59,88	66	48	-	19	22	3,0	0,2
	75	ST	3F	020L075T	1108	60,64	59,88	66	-	-	25	25	-	0,3
	100	ST	5F	020L100T	1108	60,64	59,88	66	-	45	31	22	9,0	0,4
21	50	ST	8F	021L050T	1108	63,67	62,91	71	48	-	19	22	3,0	0,3
	75	ST	3F	021L075T	1108	63,67	62,91	71	-	-	25	25	-	0,4
	100	ST	5F	021L100T	1108	63,67	62,91	71	-	47	31	22	9,0	0,4
22	50	ST	8F	022L050T	1108	66,70	65,94	75	51	-	19	22	3,0	0,3
	75	ST	3F	022L075T	1108	66,70	65,94	75	-	-	25	25	-	0,4
	100	ST	5F	022L100T	1108	66,70	65,94	75	-	51	31	22	9,0	0,4
23	50	GG	8F	023L050T	1108	69,73	68,97	79	54	-	19	22	3,0	0,4
	75	GG	3F	023L075T	1108	69,73	68,97	79	-	-	25	25	-	0,4
	100	GG	5F	023L100T	1108	69,73	68,97	79	-	54	32	22	10,0	0,5
24	50	GG	8F	024L050T	1108	72,77	72,00	79	54	-	19	22	3,0	0,4
	75	GG	3F	024L075T	1108	72,77	72,00	79	-	-	25	25	-	0,5
	100	GG	5F	024L100T	1108	72,77	72,00	79	-	54	32	22	10,0	0,6
25	50	GG	8F	025L050T	1108	75,80	75,04	83	56	-	19	22	3,0	0,5
	75	GG	3F	025L075T	1108	75,80	75,04	83	-	-	25	25	-	0,6
	100	GG	5F	025L100T	1108	75,80	75,04	83	-	56	32	22	10,0	0,6
26	50	GG	8F	026L050T	1108	78,83	78,07	87	60	-	19	22	3,0	0,5
	75	GG	3F	026L075T	1108	78,83	78,07	87	-	-	25	25	-	0,6
	100	GG	5F	026L100T	1108	78,83	78,07	87	-	60	32	22	10,0	0,7
27	50	GG	8F	027L050T	1108	81,86	81,10	87	65	-	19	22	3,0	0,6
	75	GG	3F	027L075T	1108	81,86	81,10	87	-	-	25	25	-	0,7
	100	GG	5F	027L100T	1108	81,86	81,10	87	-	62	32	22	10,0	0,8
28	50	GG	8F	028L050T	1108	84,89	84,13	91	65	-	19	22	3,0	0,6
	75	GG	3F	028L075T	1108	84,89	84,13	91	-	-	25	25	-	0,7
	100	GG	5F	028L100T	1108	84,89	84,13	91	-	65	32	22	10,0	0,8
30	50	GG	8F	030L050T	1108	90,96	90,20	97	70	-	19	22	3,0	0,8
	75	GG	3F	030L075T	1108	90,96	90,20	97	-	-	25	25	-	0,9
	100	GG	5F	030L100T	1210	90,96	90,20	97	-	71	32	25	7,0	0,9
32	50	GG	8F	032L050T	1108	97,02	96,26	103	74	-	19	22	3,0	0,9
	75	GG	3F	032L075T	1108	97,02	96,26	103	-	-	25	25	-	1,0
	100	GG	5F	032L100T	1210	97,02	96,26	103	-	75	32	25	7,0	1,0
36	50	GG	8F	036L050T	1108	109,15	108,39	115	87	-	19	22	3,0	1,2
	75	GG	3F	036L075T	1610	109,15	108,39	115	-	-	25	25	-	1,2
	100	GG	5F	036L100T	1610	109,15	108,39	115	-	89	32	25	7,0	1,4
40	50	GG	8F	040L050T	1610	121,28	120,51	127	97	-	19	25	6,0	1,5
	75	GG	3F	040L075T	1610	121,28	120,51	127	-	-	25	25	-	1,7
	100	GG	5F	040L100T	1610	121,28	120,51	127	-	101	32	25	7,0	1,7



Z	Belt w.	Mat.	Fig.	Part No.	Bush	Dp	De	Df	Dm	Di	F	S	R	Weight
16	100	ST	5F	016H100T	1108	64,68	63,31	71	-	45	31	22	9,0	0,4
18	100	ST	5F	018H100T	1210	72,77	71,39	79	-	52	31	25	6,0	0,5
	150	ST	5F	018H150T	1210	72,77	71,39	79	-	53	45	25	20,0	0,6
	200	ST	5F	018H200T	1210	72,77	71,39	79	-	52	58	25	33,0	0,8
19	100	ST	5F	019H100T	1210	76,81	75,44	83	-	56	31	25	6,0	0,6
	150	ST	5F	019H150T	1210	76,81	75,44	83	-	56	45	25	20,0	0,7
	200	ST	5F	019H200T	1610	76,81	75,44	83	-	56	58	25	33,0	0,9
20	100	ST	5F	020H100T	1210	80,55	79,48	87	-	60	31	25	6,0	0,7
	150	ST	5F	020H150T	1210	80,55	79,48	87	-	60	45	25	20,0	0,8
	200	ST	5F	020H200T	1610	80,55	79,48	87	-	60	58	25	33,0	1,0
	300	ST	4F	020H300T	1615	80,55	79,48	87	-	65	84	38	23,0	1,5
21	100	GG	5F	021H100T	1210	84,89	83,52	91	-	63	32	25	7,0	0,8
	150	GG	5F	021H150T	1210	84,89	83,52	91	-	64	45	25	20,0	1,0
	200	GG	5F	021H200T	1610	84,89	83,52	91	-	64	58	25	33,0	1,7
	300	GG	4F	021H300T	1615	84,89	83,52	91	-	66	84	38	23,0	1,2
22	100	GG	5F	022H100T	1210	88,94	87,56	93	-	67	32	25	7,0	0,9
	150	GG	5F	022H150T	1210	88,94	87,56	93	-	68	45	25	20,0	1,2
	200	GG	5F	022H200T	1610	88,94	87,56	93	-	68	58	25	33,0	1,5
	300	GG	4F	022H300T	1615	88,94	87,56	93	-	67	84	38	23,0	1,6
23	100	GG	5F	023H100T	1610	92,98	91,61	97	-	71	32	25	7,0	0,9
	150	GG	5F	023H150T	1610	92,98	91,61	97	-	71	45	25	20,0	1,3
	200	GG	5F	023H200T	1610	92,98	91,61	97	-	71	58	25	33,0	1,8
	300	GG	4F	023H300T	1615	92,98	91,61	97	-	71	84	38	23,0	1,8
24	100	GG	5F	024H100T	1610	97,02	95,65	103	-	75	32	25	7,0	1,0
	150	GG	5F	024H150T	1610	97,02	95,65	103	-	74	45	25	20,0	1,2
	200	GG	5F	024H200T	1610	97,02	95,65	103	-	74	58	25	33,0	1,5
	300	GG	4F	024H300T	1615	97,02	95,65	103	-	75	84	38	23,0	2,1
25	100	GG	5F	025H100T	1610	101,06	99,69	106	-	79	32	25	7,0	1,0
	150	GG	5F	025H150T	1610	101,06	99,69	106	-	78	45	25	20,0	1,2
	200	GG	5F	025H200T	1610	101,06	99,69	106	-	78	58	25	33,0	1,5
	300	GG	4F	025H300T	1615	101,06	99,69	106	-	79	84	38	23,0	2,0
26	100	GG	5F	026H100T	1610	105,11	103,73	111	-	83	32	25	7,0	1,2
	150	GG	5F	026H150T	1610	105,11	103,73	111	-	82	45	25	20,0	1,4
	200	GG	5F	026H200T	1610	105,11	103,73	111	-	82	58	25	33,0	1,8
	300	GG	4F	026H300T	1615	105,11	103,73	111	-	83	84	38	23,0	2,7
27	100	GG	5F	027H100T	1610	109,15	107,78	115	-	87	32	25	7,0	1,3
	150	GG	5F	027H150T	1610	109,15	107,78	115	-	87	45	25	20,0	1,6
	200	GG	5F	027H200T	1610	109,15	107,78	115	-	87	58	25	33,0	1,9
	300	GG	4F	027H300T	2012	109,15	107,78	115	-	87	84	32	26,0	3,0
28	100	GG	5F	028H100T	1610	113,19	111,82	119	-	91	32	25	7,0	1,5
	150	GG	5F	028H150T	1610	113,19	111,82	119	-	91	45	25	20,0	1,8
	200	GG	5F	028H200T	1610	113,19	111,82	119	-	91	58	25	33,0	1,9
	300	GG	4F	028H300T	2012	113,19	111,82	119	-	91	84	32	26,0	2,4
30	100	GG	5F	030H100T	1610	121,28	119,90	127	-	99	32	25	7,0	1,7
	150	GG	5F	030H150T	1610	121,28	119,90	127	-	99	45	25	20,0	2,0
	200	GG	5F	030H200T	1610	121,28	119,90	127	-	99	58	25	33,0	2,3
	300	GG	4F	030H300T	2012	121,28	119,90	127	-	99	84	32	26,0	2,9
32	100	GG	5WF	032H100T	1610	129,36	127,99	135	92	108	32	25	7,0	2,0
	150	GG	5WF	032H150T	1610	129,36	127,99	135	92	108	45	25	20,0	2,3
	200	GG	5F	032H200T	2012	129,36	127,99	135	-	107	58	32	26,0	3,0
	300	GG	4F	032H300T	2517	129,36	127,99	135	-	107	84	45	19,5	3,3



Figur 7A




Figur 8F

Z	Belt w.	Mat.	Fig.	Part No.	Bush	Dp	De	Df	Dm	Di	F	S	R	Weight
34	15	ST	8F	0345M015T	1008	54,11	52,97	57	43	-	20,5	22	1,5	0,19
36	15	ST	8F	0365M015T	1108	57,30	56,16	60	44	-	20,5	22	1,5	0,20
38	15	ST	8F	0385M015T	1108	69,48	59,34	66	48	-	20,5	22	1,5	0,25
40	15	ST	8F	0405M015T	1108	63,66	62,52	71	52	-	20,5	22	1,5	0,31
44	15	ST	8F	0445M015T	1108	70,03	68,89	75	54	-	20,5	22	1,5	0,40
48	15	ST	8F	0485M015T	1210	76,39	75,25	83	64	-	20,5	25	4,5	0,45
56	15	GG	8F	0565M015T	1210	89,13	87,99	93	70	-	20,5	25	4,5	0,67
64	15	GG	8F	0645M015T	1210	101,86	100,72	106	78	-	20,5	25	4,5	0,96
72	15	GG	8F	0725M015T	1610	114,59	113,45	119	90	-	20,5	25	4,5	1,19
80	15	GG	8F	0805M015T	1610	127,32	126,18	135	92	-	20,5	25	4,5	1,57
90	15	GG	7A	0905M015T	1610	143,24	142,10	-	92	126	20,5	25	2,3	1,47
112	15	GG	7A	1125M015T	1610	178,25	177,11	-	92	162	20,5	25	2,3	1,94
136	15	GG	7A	1365M015T	2012	216,45	215,31	-	106	199	20,5	32	5,8	3,06
150	15	GG	7A	1505M015T	2012	238,73	237,59	-	106	222	20,5	32	5,8	3,90


Timing Pulley

8M HTD


Roflex®




Figur 3F



Figur 4F




Figur 5F



Figur 8F


Z	Belt w.	Mat.	Fig.	Part No.	Bush	Dp	De	Df	Dm	Di	F	S	R	Weight
22	20	GG	5F	0228M020T	1008	56,02	54,65	60,0	-	41	28	22	6,0	0,24
	30	GG	5F	0228M030T	1008	56,02	54,65	60,0	-	41	38	22	16,0	0,29
24	20	GG	5F	0248M020T	1108	61,12	59,75	66,0	-	42	28	22	6,0	0,30
	30	GG	5F	0248M030T	1108	61,12	59,75	66,0	-	42	38	22	16,0	0,38
26	20	GG	5F	0268M020T	1108	66,21	64,84	71,0	-	46	28	22	6,0	0,36
	30	GG	5F	0268M030T	1108	66,21	64,84	71,0	-	46	38	22	16,0	0,45
28	20	GG	5F	0288M020T	1108	71,30	70,08	75,0	-	50	28	22	6,0	0,44
	30	ST	5F	0288M030T	1210	71,30	70,08	75,0	-	50	38	25	13,0	0,50
	50	ST	5F	0288M050T	1210	71,30	70,08	75,0	-	50	60	25	35,0	0,60
30	20	GG	5F	0308M020T	1108	76,39	75,13	83,0	-	58	28	22	6,0	0,53
	30	ST	3F	0308M030T	1615	76,39	75,13	83,0	-	-	38	38	-	0,55
	50	ST	5F	0308M050T	1615	76,39	75,13	83,0	-	58	60	38	22,0	0,65
32	20	GG	5F	0328M020T	1610	81,49	80,16	87,0	-	62	28	25	3,0	0,42
	30	GG	3F	0328M030T	1615	81,49	80,16	87,0	-	-	38	38	-	0,59
	50	GG	5F	0328M050T	1615	81,49	80,16	87,0	-	62	60	38	22,0	0,82
34	20	GG	5F	0348M020T	1610	86,58	85,22	91,0	-	65	28	25	3,0	0,55
	30	GG	3F	0348M030T	1615	86,58	85,22	91,0	-	-	38	38	-	0,77
	50	GG	5F	0348M050T	1615	86,58	85,22	91,0	-	65	60	38	22,0	1,06
	85	GG	4F	0348M085T	1615	86,58	85,22	91,0	-	65	95	38	28,5	1,43
36	20	GG	5F	0368M020T	1610	91,67	90,30	98,5	-	68	28	25	3,0	0,68
	30	GG	3F	0368M030T	1615	91,67	90,30	98,5	-	-	38	38	-	0,96
	50	GG	5F	0368M050T	1615	91,67	90,30	98,5	-	68	60	38	22,0	1,30
	85	GG	4F	0368M085T	1615	91,67	90,30	98,5	-	68	95	38	28,5	1,87
38	20	GG	5F	0388M020T	1610	96,77	95,39	103,0	-	72	28	25	3,0	0,80
	30	GG	3F	0388M030T	1615	96,77	95,39	103,0	-	-	38	38	-	1,15
	50	GG	3F	0388M050T	1615	96,77	95,39	103,0	-	72	60	38	22,0	1,60
	85	GG	4F	0388M085T	1615	96,77	95,39	103,0	-	72	95	38	28,5	2,20
40	20	GG	5F	0408M020T	1610	101,86	100,49	106,0	-	76	28	25	3,0	1,00
	30	GG	3F	0408M030T	1615	101,86	100,49	106,0	-	-	38	38	-	1,34
	50	GG	4F	0408M050T	2012	101,86	100,49	106,0	-	82	60	32	14,0	1,71
	85	GG	4F	0408M085T	2012	101,86	100,49	106,0	-	82	95	32	31,5	1,80
44	20	GG	8F	0448M020T	2012	112,05	110,67	119,0	93	-	28	32	4,0	1,20
	30	GG	4F	0448M030T	2012	112,05	110,67	119,0	-	91	38	32	3,0	1,33
	50	GG	4F	0448M050T	2012	112,05	110,67	119,0	-	91	60	32	14,0	1,78
	85	GG	4F	0448M085T	2012	112,05	110,67	119,0	-	91	95	32	31,5	2,30
48	20	GG	8F	0488M020T	2012	122,23	120,86	127,0	96	-	28	32	4,0	1,60
	30	GG	4F	0488M030T	2012	122,23	120,86	127,0	-	95	38	32	3,0	1,78
	50	GG	4F	0488M050T	2012	122,23	120,86	127,0	-	96	60	32	14,0	2,30
	85	GG	4F	0488M085T	2517	122,23	120,86	127,0	-	100	95	45	25,0	2,66
56	20	GG	8F	0568M020T	2012	142,60	141,23	148,0	110	-	28	32	4,0	2,40
	30	GG	4F	0568M030T	2012	142,60	141,23	148,0	-	117	38	32	3,0	3,76
	50	GG	4F	0568M050T	2517	142,60	141,23	148,0	-	116	60	45	7,5	3,40
	85	GG	4F	0568M085T	2517	142,60	141,23	148,0	-	117	95	45	25,0	4,45



Z	Belt w.	Mat.	Fig.	Part No.	Bush	Dp	De	Df	Dm	Di	F	S	R	Weight
28	40	GG	4F	02814M040T	2012	124,78	122,12	127	-	98	54	32	11,0	2,07
	55	GG	4F	02814M055T	2012	124,78	122,12	127	-	98	70	32	19,0	2,20
	85	GG	4F	02814M085T	2517	124,78	122,12	127	-	98	102	45	28,5	2,70
	115	GG	4F	02814M115T	2517	124,78	122,12	127	-	98	133	45	44,0	3,77
29	40	GG	4F	02914M040T	2012	129,23	126,57	138	-	100	54	32	11,0	2,38
	55	GG	4F	02914M055T	2012	129,23	126,57	138	-	100	70	32	19,0	2,74
	85	GG	4F	02914M085T	2517	129,23	126,57	138	-	100	102	45	28,5	3,40
	115	GG	4F	02914M115T	2517	129,23	126,57	138	-	100	133	45	44,0	4,00
30	40	GG	4F	03014M040T	2012	133,69	130,99	138	-	100	54	32	11,0	2,65
	55	GG	4F	03014M055T	2517	133,69	130,99	138	-	100	70	45	12,5	2,70
	85	GG	4F	03014M085T	2517	133,69	130,99	138	-	100	102	45	28,5	3,75
	115	GG	4F	03014M115T	2517	133,69	130,99	138	-	100	133	45	44,0	5,00
32	40	GG	4F	03214M040T	2012	142,60	139,88	154	-	104	54	32	11,0	3,40
	55	GG	4F	03214M055T	2517	142,60	139,88	154	-	108	70	45	12,5	3,66
	85	GG	4F	03214M085T	2517	142,60	139,88	154	-	108	102	45	28,5	4,80
	115	GG	4F	03214M115T	2517	142,60	139,88	154	-	108	133	45	44,0	6,80
34	40	GG	4F	03414M040T	2517	151,52	148,79	160	-	110	54	45	4,5	3,87
	55	GG	4F	03414M055T	2517	151,52	148,79	160	-	110	70	45	12,5	4,55
	85	GG	4F	03414M085T	2517	151,52	148,79	160	-	110	102	45	28,5	6,00
	115	GG	4F	03414M115T	2517	151,52	148,79	160	-	110	133	45	44,0	6,80
36	40	GG	4F	03614M040T	2517	160,43	157,68	168	-	120	54	45	4,5	4,80
	55	GG	4F	03614M055T	2517	160,43	157,68	168	-	120	70	45	12,5	5,20
	85	GG	4F	03614M085T	3020	160,43	157,68	168	-	125	102	51	25,5	5,80
	115	GG	4F	03614M115T	3020	160,43	157,68	168	-	125	133	51	41,0	7,00
38	40	GG	4F	03814M040T	2517	169,34	166,60	183	-	130	54	45	4,5	5,40
	55	GG	4F	03814M055T	2517	169,34	166,60	183	-	130	70	45	12,5	6,20
	85	GG	4F	03814M085T	3020	169,34	166,60	183	-	130	102	51	25,5	6,80
	115	GG	4F	03814M115T	3020	169,34	166,60	183	-	130	133	51	41,0	8,40
	170	GG	4F	03814M170T	3030	169,34	166,60	183	-	130	187	76	55,5	11,70
40	40	GG	4F	04014M040T	2517	178,25	175,49	188	-	138	54	45	4,5	6,00
	55	GG	4F	04014M055T	2517	178,25	175,49	188	-	138	70	45	12,5	7,00
	85	GG	4F	04014M085T	3020	178,25	175,49	188	-	138	102	51	25,5	8,00
	115	GG	4F	04014M115T	3020	178,25	175,49	188	-	140	133	51	41,0	9,20
	170	GG	4F	04014M170T	3030	178,25	175,49	188	-	140	187	76	55,5	13,00
44	40	GG	4F	04414M040T	3020	196,08	193,28	211	-	155	54	51	1,5	7,80
	55	GG	4F	04414M055T	3020	196,08	193,28	211	-	155	70	51	9,5	8,60
	85	GG	4F	04414M085T	3030	196,08	193,28	211	-	155	102	76	13,0	11,80
	115	GG	4F	04414M115T	3030	196,08	193,28	211	-	155	133	76	28,5	14,00
	170	GG	4F	04414M170T	3535	196,08	193,28	211	-	155	187	89	49,0	15,00
48	40	GG	4F	04814M040T	3020	213,90	211,11	226	-	170	54	51	1,5	9,40
	55	GG	4F	04814M055T	3020	213,90	211,11	226	-	170	70	51	9,5	10,40
	85	GG	4F	04814M085T	3030	213,90	211,11	226	-	170	102	76	13,0	15,10
	115	GG	4F	04814M115T	3030	213,90	211,11	226	-	170	133	76	28,5	17,10
	170	GG	4F	04814M170T	3535	213,90	211,11	226	-	175	187	89	49,0	19,00

Timing Pulley

T5




Roflex®

Teeth	Belt Width	NO.	TYPE	De	Df	Dm	F	L	d
10	10	10T-T5-10	2F	15.05	19.5	8	15	21	6
10	16	10T-T5-16	2F	15.05	19.5	8	21	27	6
10	25	10T-T5-25	2F	15.05	19.5	8	30	36	6
12	10	12T-T5-10	2F	18.25	23	11	15	21	6
12	16	12T-T5-16	2F	18.25	23	11	21	27	6
12	25	12T-T5-25	2F	18.25	23	11	30	36	6
14	10	14T-T5-10	2F	21.45	25	14	15	21	6
14	16	14T-T5-16	2F	21.45	25	14	21	27	6
14	25	14T-T5-25	2F	21.45	25	14	30	36	6
15	10	15T-T5-10	2F	23.05	28	16	15	21	6
15	16	15T-T5-16	2F	23.05	28	16	21	27	6
15	25	15T-T5-25	2F	23.05	28	16	30	36	6
16	10	16T-T5-10	2F	24.60	32	18	15	21	6
16	16	16T-T5-16	2F	24.60	32	18	21	27	6
16	25	16T-T5-25	2F	24.60	32	18	30	36	6
18	10	18T-T5-10	2F	27.80	32	19	15	21	6
18	16	18T-T5-16	2F	27.80	32	19	21	27	6
18	25	18T-T5-25	2F	27.80	32	19	30	36	6
19	10	19T-T5-10	2F	29.40	37	22	15	21	6
19	16	19T-T5-16	2F	29.40	37	22	21	27	6
19	25	19T-T5-25	2F	29.40	37	22	30	36	6
20	10	20T-T5-10	2F	31.00	37	23	15	21	6
20	16	20T-T5-16	2F	31.00	37	23	21	27	6
20	25	20T-T5-25	2F	31.00	37	23	30	36	6
22	10	22T-T5-10	2F	34.25	38	24	15	21	6
22	16	22T-T5-16	2F	34.25	38	24	21	27	6
22	25	22T-T5-25	2F	34.25	38	24	30	36	6
24	10	24T-T5-10	2F	37.40	43	26	15	21	6
24	16	24T-T5-16	2F	37.40	43	26	21	27	6
24	25	24T-T5-25	2F	37.40	43	26	30	36	6
25	10	25T-T5-10	2F	39.00	44	26	15	21	6
25	16	25T-T5-16	2F	39.00	44	26	21	27	6
25	25	25T-T5-25	2F	39.00	44	26	30	36	6
26	10	26T-T5-10	2F	40.60	44	26	15	21	6
26	16	26T-T5-16	2F	40.60	44	26	21	27	6
26	25	26T-T5-25	2F	40.60	44	26	30	36	6
27	10	27T-T5-10	2F	42.20	48	30	15	21	8
27	16	27T-T5-16	2F	42.20	48	30	21	27	8
27	25	27T-T5-25	2F	42.20	48	30	30	36	8
28	10	28T-T5-10	2F	43.75	48	32	15	21	8
28	16	28T-T5-16	2F	43.75	48	32	21	27	8
28	25	28T-T5-25	2F	43.75	48	32	30	36	8
30	10	30T-T5-10	2F	46.95	51	34	15	21	8
30	16	30T-T5-16	2F	46.95	51	34	21	27	8
30	25	30T-T5-25	2F	46.95	51	34	30	36	8
32	10	32T-T5-10	2F	50.10	54	38	15	21	8
32	16	32T-T5-16	2F	50.10	54	38	21	27	8
32	25	32T-T5-25	2F	50.10	54	38	30	36	8
36	10	36T-T5-10	2F	56.45	61	38	15	21	8
36	16	36T-T5-16	2F	56.45	61	38	21	27	8
36	25	36T-T5-25	2F	56.45	61	38	30	36	8
40	10	40T-T5-10	2F	62.85	67	40	15	21	8
40	16	40T-T5-16	2F	62.85	67	40	21	27	8
40	25	40T-T5-25	2F	62.85	67	40	30	36	8

Timing Pulley

T10



Roflex®

Teeth	Belt Width	NO.	TYPE	De	Df	Dm	F	L	d
12	16	12T-T10-16	2F	36.35	43	28	21	31	6
12	25	12T-T10-25	2F	36.35	43	28	30	40	6
14	16	14T-T10-16	2F	42.70	48	32	21	31	8
14	25	14T-T10-25	2F	42.70	48	32	30	40	8
15	16	15T-T10-16	2F	45.90	51	32	21	31	8
15	25	15T-T10-25	2F	45.90	51	32	30	40	8
16	16	16T-T10-16	2F	49.05	54	35	21	31	8
16	25	16T-T10-25	2F	49.05	54	35	30	40	8
18	16	18T-T10-16	2F	55.45	60	40	21	31	8
18	25	18T-T10-25	2F	55.45	60	40	30	40	8
18	30	18T-T10-30	2F	55.45	60	40	37	47	10
19	16	19T-T10-16	2F	58.60	67	44	21	31	8
19	25	19T-T10-25	2F	58.60	67	44	30	40	8
19	30	19T-T10-30	2F	58.60	67	44	37	47	10
20	16	20T-T10-16	2F	61.80	67	46	21	31	8
20	25	20T-T10-25	2F	61.80	67	46	30	40	8
20	30	20T-T10-30	2F	61.80	67	46	37	47	12
22	16	22T-T10-16	2F	68.15	75	52	21	31	8
22	25	22T-T10-25	2F	68.15	75	52	30	40	8
22	30	22T-T10-30	2F	68.15	75	52	37	47	12
24	16	24T-T10-16	2F	74.55	83	58	21	31	8
24	25	24T-T10-25	2F	74.55	83	58	30	40	8
24	30	24T-T10-30	2F	74.55	83	58	37	47	12
25	16	25T-T10-16	2F	77.70	83	60	21	31	8
25	25	25T-T10-25	2F	77.70	83	60	30	40	8
25	30	25T-T10-30	2F	77.70	83	60	37	47	12
26	16	26T-T10-16	2F	80.90	87	60	21	31	8
26	25	26T-T10-25	2F	80.90	87	60	30	40	8
26	30	26T-T10-30	2F	80.90	87	60	37	47	12
27	16	27T-T10-16	2F	84.10	91	60	21	31	8
27	25	27T-T10-25	2F	84.10	91	60	30	40	8
27	30	27T-T10-30	2F	84.10	91	60	37	47	12
28	16	28T-T10-16	2F	87.25	94	60	21	31	8
28	25	28T-T10-25	2F	87.25	94	60	30	40	8
28	30	28T-T10-30	2F	87.25	94	60	37	47	12
30	16	30T-T10-16	2F	93.65	97	60	21	31	8
30	25	30T-T10-25	2F	93.65	97	60	30	40	8
30	30	30T-T10-30	2F	93.65	97	60	37	47	12
32	16	32T-T10-16	2F	100.00	112	65	21	31	10
32	25	32T-T10-25	2F	100.00	112	65	30	40	10
32	30	32T-T10-30	2F	100.00	112	65	37	47	12
36	16	36T-T10-16	2F	112.75	120	70	21	31	10
36	25	36T-T10-25	2F	112.75	120	70	30	40	10
36	30	36T-T10-30	2F	112.75	120	70	37	47	16
40	16	40T-T10-16	2F	125.45	135	80	21	31	10
40	25	40T-T10-25	2F	125.45	135	80	30	40	10
40	30	40T-T10-30	2F	125.45	135	80	37	47	16
44	16	44T-T10-16	2	138.20	/	88	21	31	10
44	25	44T-T10-25	2	138.20	/	88	30	40	10
44	30	44T-T10-30	2	138.20	/	88	37	47	16
48	16	48T-T10-16	2	150.95	/	95	21	31	16
48	25	48T-T10-25	2	150.95	/	95	30	40	16
48	30	48T-T10-30	2	150.95	/	95	37	47	16